

2014 Florida Youth Substance Abuse Survey

Collier County Data Tables

Table 1. Major demographic characteristics of surveyed Collier County and Florida Statewide, 2014

	Collier County		Florida Statewide	
	N	%	N	%
Sex				
Female	631	49.9	33,366	50.6
Male	606	47.9	31,377	47.6
Race/Ethnic group				
African American	129	10.2	9,713	14.7
American Indian	13	1.0	1,334	2.0
Asian	16	1.3	1,356	2.1
Hispanic/Latino	462	36.6	10,514	16.0
Native Hawaiian/Pacific Islander	3	0.2	227	0.3
Other/Multiple	198	15.7	10,781	16.4
White, non-Hispanic	428	33.9	31,356	47.6
Age				
10	5	0.4	66	0.1
11	85	6.7	4,444	6.7
12	184	14.6	10,292	15.6
13	253	20.0	11,827	17.9
14	224	17.7	10,782	16.4
15	152	12.0	9,199	14.0
16	140	11.1	8,050	12.2
17	143	11.3	6,988	10.6
18	70	5.5	3,537	5.4
19 or older	4	0.3	506	0.8
Grade				
6th	174	13.8	11,546	17.5
7th	263	20.8	12,154	18.4
8th	271	21.4	11,481	17.4
9th	147	11.6	9,454	14.3
10th	148	11.7	8,108	12.3
11th	147	11.6	7,281	11.0
12th	114	9.0	5,893	8.9
Overall Middle School	708	56.0	35,063	53.2
Overall High School	556	44.0	30,649	46.5
Total	1,264	100.0	65,917	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Collier County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2014

	Collier County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	21.9	56.2	43.9	39.6	23.9	58.0	41.7	25.0	56.0	44.3	40.9	26.6	56.5	42.6
Blacking Out	--	20.3	19.1	20.9	--	19.6	20.3	--	18.9	19.8	18.1	--	19.5	18.9
Cigarettes	7.3	24.5	17.1	17.6	8.9	24.6	17.2	9.8	23.6	17.2	18.0	10.1	23.5	17.6
Marijuana or Hashish	6.1	32.8	20.5	22.9	8.0	33.7	21.6	8.4	33.4	22.1	23.0	9.2	34.1	22.6
Synthetic Marijuana	--	8.7	7.7	10.1	--	8.0	8.7	--	8.8	7.7	10.0	--	8.9	8.8
Inhalants	7.6	4.6	7.7	3.9	7.5	4.6	5.8	8.6	4.9	7.2	5.8	8.3	5.0	6.5
Club Drugs	0.8	4.6	4.0	2.2	1.0	5.1	3.0	1.1	4.5	2.8	3.2	1.2	4.2	3.0
LSD, PCP or Mushrooms	0.6	5.5	4.8	2.2	1.5	4.9	3.4	1.3	5.3	2.8	4.3	1.4	5.3	3.6
Methamphetamine	0.2	2.4	1.0	2.1	1.0	2.3	1.5	0.9	1.1	0.8	1.2	0.8	1.1	1.0
Cocaine or Crack Cocaine	0.7	4.9	3.0	3.5	1.4	5.0	3.2	0.9	2.5	1.6	2.1	0.9	2.4	1.9
Heroin	0.2	1.3	0.6	1.2	0.4	1.3	0.8	0.6	0.7	0.4	0.8	0.6	0.7	0.6
Depressants	1.4	5.6	4.9	2.5	1.9	5.2	3.8	1.9	6.2	5.1	3.6	2.1	6.3	4.3
Prescription Pain Relievers	2.9	6.6	6.7	3.6	3.6	6.6	5.1	3.0	7.3	5.9	5.1	3.3	7.4	5.5
Prescription Amphetamines	1.5	5.6	5.3	2.4	1.4	6.4	3.9	1.0	5.1	3.5	3.2	1.2	5.0	3.3
Steroids (without a doctor's order)	0.3	1.0	0.4	1.1	0.2	1.4	0.7	0.5	0.8	0.3	1.0	0.5	0.8	0.7
Over-the-Counter Drugs	2.5	6.6	6.0	3.9	2.8	6.0	4.9	3.4	6.1	5.1	4.8	3.5	6.2	5.0
Any illicit drug	15.0	39.3	28.9	29.2	16.6	39.3	29.0	17.9	39.3	30.7	29.4	18.7	39.9	30.0
Any illicit drug other than marijuana	11.4	21.3	19.4	14.6	12.9	20.4	17.1	13.7	19.7	17.9	16.4	13.9	19.9	17.1
Alcohol only	12.9	22.8	20.3	17.4	13.0	24.8	18.7	14.0	22.2	19.5	17.8	14.8	22.0	18.6
Alcohol or any illicit drug	27.5	61.8	49.0	46.0	29.3	63.9	47.3	31.7	61.4	50.1	47.0	33.3	61.9	48.5
Any illicit drug, but no alcohol	5.9	5.7	5.2	6.5	5.5	6.0	5.8	6.9	5.5	5.9	6.3	6.9	5.5	6.1

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Collier County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2014

	Collier County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	7.3	29.6	22.5	17.9	8.9	30.0	20.2	10.1	28.4	21.7	19.4	11.1	28.1	20.5
Binge Drinking	2.6	15.0	10.0	9.4	3.5	14.1	9.7	3.9	13.7	9.5	9.4	4.1	13.7	9.5
Cigarettes	1.1	7.3	4.5	4.8	1.8	6.3	4.7	2.0	7.1	4.4	5.3	2.1	6.8	4.9
Marijuana or Hashish	3.7	16.4	11.6	10.5	4.8	16.7	11.0	4.2	18.6	11.7	13.1	4.7	18.9	12.4
Synthetic Marijuana	--	1.1	1.4	0.8	--	1.0	1.1	--	1.4	1.2	1.6	--	1.5	1.4
Inhalants	1.9	1.0	2.1	0.6	1.7	1.0	1.4	3.1	1.3	2.3	1.9	2.8	1.5	2.1
Club Drugs	0.3	1.3	1.3	0.5	0.4	1.1	0.9	0.3	1.0	0.7	0.8	0.4	1.0	0.7
LSD, PCP or Mushrooms	0.1	0.9	0.9	0.2	0.7	0.3	0.6	0.6	1.4	0.8	1.2	0.6	1.4	1.0
Methamphetamine	0.0	1.2	0.4	1.1	0.2	1.4	0.7	0.4	0.5	0.4	0.6	0.4	0.5	0.5
Cocaine or Crack Cocaine	0.3	1.6	1.4	0.7	0.6	1.4	1.1	0.4	0.7	0.5	0.7	0.4	0.7	0.6
Heroin	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.3	0.3	0.2	0.3	0.2	0.3	0.3
Depressants	0.6	1.5	1.9	0.0	0.7	1.4	1.1	0.8	2.1	1.8	1.2	0.9	2.2	1.5
Prescription Pain Relievers	1.1	2.6	3.4	0.6	1.2	2.8	2.0	1.4	2.6	2.4	1.8	1.6	2.6	2.1
Prescription Amphetamines	0.4	3.1	1.8	2.1	0.9	3.3	2.0	0.5	1.7	1.1	1.1	0.6	1.6	1.2
Steroids (without a doctor's order)	0.3	1.1	0.2	1.3	0.3	1.4	0.8	0.2	0.3	0.1	0.4	0.2	0.3	0.3
Over-the-Counter Drugs	1.1	3.0	2.9	1.6	1.1	2.5	2.2	1.6	2.4	2.3	1.8	1.7	2.4	2.1
Any illicit drug	6.8	21.8	16.5	14.2	8.2	21.3	15.4	8.7	22.3	16.4	16.3	9.2	22.5	16.4
Any illicit drug other than marijuana	4.1	10.4	8.8	6.4	4.9	9.8	7.7	6.2	8.5	7.9	7.0	6.2	8.7	7.5
Alcohol only	3.9	15.0	12.3	8.4	4.6	15.0	10.3	6.3	14.5	11.7	10.1	6.8	14.3	10.9
Alcohol or any illicit drug	10.3	36.2	28.0	22.5	12.4	35.6	25.2	14.8	36.3	27.9	26.1	15.9	36.4	27.0
Any illicit drug, but no alcohol	2.8	6.8	5.6	4.6	3.5	5.9	5.1	4.8	8.1	6.5	6.9	4.9	8.5	6.7

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Collier County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	47.1	72.7	60.9	40.5	66.1	55.8	34.5	68.0	53.6	32.1	67.4	52.3	31.0	66.2	51.2	21.9	56.2	41.7
Blacking Out	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	20.3	20.3
Cigarettes	27.1	51.7	40.4	20.6	39.4	31.8	14.3	41.1	29.5	17.3	36.7	28.5	12.4	32.2	23.8	7.3	24.5	17.2
Marijuana or Hashish	12.5	37.2	26.1	7.8	32.7	22.4	4.9	28.9	18.6	8.3	33.9	23.1	7.5	36.5	24.3	6.1	32.8	21.6
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	14.0	14.0	--	8.7	8.7
Inhalants	20.7	11.6	15.7	12.0	12.3	12.3	12.6	8.8	10.4	10.5	8.3	9.2	9.7	5.4	7.2	7.6	4.6	5.8
Club Drugs	--	--	--	--	--	--	0.5	--	0.5	1.8	5.9	4.2	2.4	4.2	3.5	0.8	4.6	3.0
LSD, PCP or Mushrooms	--	--	--	--	--	--	0.2	--	0.2	1.2	4.3	3.0	0.9	5.7	3.7	0.6	5.5	3.4
Methamphetamine	2.3	2.8	2.6	2.1	2.2	2.1	1.5	3.8	2.8	0.4	1.3	0.9	0.8	0.9	0.9	0.2	2.4	1.5
Cocaine or Crack Cocaine	--	--	--	--	--	--	0.9	--	0.9	0.8	4.9	3.2	2.7	3.1	2.9	0.7	4.9	3.2
Heroin	1.9	1.9	1.9	1.6	1.6	1.6	0.5	2.1	1.4	0.2	0.9	0.6	0.5	0.7	0.6	0.2	1.3	0.8
Depressants	5.7	13.0	9.7	2.8	10.4	7.6	1.9	9.0	6.0	2.0	9.4	6.3	1.3	5.5	3.7	1.4	5.6	3.8
Prescription Pain Relievers	6.1	15.1	11.1	4.7	12.1	9.3	3.7	11.1	8.0	2.3	8.9	6.1	5.9	7.4	6.8	2.9	6.6	5.1
Prescription Amphetamines	3.3	6.1	4.8	2.2	7.7	5.5	1.7	6.8	4.6	1.2	3.5	2.5	1.1	3.6	2.6	1.5	5.6	3.9
Steroids (without a doctor's order)	0.5	3.3	2.0	0.6	1.1	0.9	1.4	2.0	1.7	0.6	1.6	1.2	0.6	0.8	0.7	0.3	1.0	0.7
Over-the-Counter Drugs	--	--	--	--	--	--	4.0	--	4.0	4.1	8.1	6.4	3.9	6.9	5.6	2.5	6.6	4.9
Any illicit drug	28.1	42.7	36.1	20.0	39.7	31.6	19.9	37.7	30.1	18.8	41.6	31.9	18.7	41.1	31.6	15.0	39.3	29.0
Any illicit drug other than marijuana	24.3	25.5	24.9	18.1	25.0	22.3	16.9	27.9	23.2	13.8	24.2	19.8	16.0	19.3	17.9	11.4	21.3	17.1
Alcohol only	23.6	32.6	28.3	25.3	29.1	27.7	21.4	31.7	27.3	18.6	28.3	24.2	17.2	27.4	23.0	12.9	22.8	18.7
Alcohol or any illicit drug	50.8	74.8	63.8	45.5	68.7	59.3	41.4	69.3	57.3	37.3	69.7	55.9	35.8	67.9	54.3	27.5	61.8	47.3
Any illicit drug, but no alcohol	4.5	2.5	3.4	5.0	2.9	3.7	7.1	1.3	3.8	5.3	2.4	3.7	5.0	2.1	3.4	5.9	5.7	5.8

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Collier County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	26.1	43.4	35.5	16.9	42.0	32.0	13.7	44.6	31.5	13.9	41.7	29.9	14.8	36.4	27.2	7.3	29.6	20.2
Binge Drinking	8.2	23.9	16.8	7.8	23.6	17.0	4.4	29.3	18.6	6.8	22.9	16.0	6.3	17.7	12.8	2.6	15.0	9.7
Cigarettes	9.0	17.7	13.7	4.5	15.8	11.3	3.6	15.7	10.5	2.9	12.2	8.3	3.2	10.9	7.6	1.1	7.3	4.7
Marijuana or Hashish	5.8	19.1	13.1	4.2	16.7	11.6	2.0	17.9	11.1	2.5	16.2	10.5	5.0	17.5	12.2	3.7	16.4	11.0
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	6.5	6.5	--	1.1	1.1
Inhalants	7.8	2.9	5.2	5.2	4.5	4.7	4.2	3.0	3.5	2.5	2.8	2.7	4.7	1.4	2.8	1.9	1.0	1.4
Club Drugs	--	--	--	--	--	--	0.0	--	0.0	1.3	2.5	2.0	0.6	0.9	0.8	0.3	1.3	0.9
LSD, PCP or Mushrooms	--	--	--	--	--	--	0.2	--	0.2	1.0	0.6	0.8	0.4	0.9	0.7	0.1	0.9	0.6
Methamphetamine	0.9	0.9	0.9	0.7	0.2	0.4	0.7	1.8	1.4	0.2	0.5	0.4	0.7	0.5	0.6	0.0	1.2	0.7
Cocaine or Crack Cocaine	--	--	--	--	--	--	0.0	--	0.0	0.4	1.3	0.9	1.3	1.0	1.1	0.3	1.6	1.1
Heroin	0.5	0.0	0.2	0.8	0.9	0.9	0.2	0.2	0.2	0.0	0.2	0.1	0.0	0.3	0.2	0.1	0.1	0.1
Depressants	0.5	7.1	4.2	1.6	2.9	2.3	0.3	4.4	2.7	1.1	2.4	1.8	0.8	1.7	1.3	0.6	1.5	1.1
Prescription Pain Relievers	2.2	5.9	4.2	3.5	4.1	3.8	1.2	5.4	3.6	1.7	3.8	2.9	3.7	3.1	3.3	1.1	2.6	2.0
Prescription Amphetamines	1.0	4.4	2.9	1.4	1.9	1.7	0.0	2.2	1.3	0.4	0.6	0.5	0.5	0.6	0.6	0.4	3.1	2.0
Steroids (without a doctor's order)	0.0	0.6	0.4	0.6	0.5	0.6	0.7	0.9	0.8	0.2	0.9	0.6	0.2	0.6	0.4	0.3	1.1	0.8
Over-the-Counter Drugs	--	--	--	--	--	--	0.5	--	0.5	2.3	2.7	2.5	1.2	3.3	2.4	1.1	3.0	2.2
Any illicit drug	12.6	21.4	17.5	10.5	20.5	16.4	8.0	22.0	16.0	6.2	23.2	16.1	11.6	22.3	17.7	6.8	21.8	15.4
Any illicit drug other than marijuana	10.0	11.1	10.7	8.7	12.2	10.7	6.3	13.1	10.2	5.0	11.4	8.7	8.5	8.2	8.3	4.1	10.4	7.7
Alcohol only	17.8	24.8	21.5	10.5	25.6	19.7	9.8	25.4	18.8	10.2	24.2	18.3	8.6	19.7	14.9	3.9	15.0	10.3
Alcohol or any illicit drug	29.9	46.1	38.7	20.9	45.5	35.8	17.5	46.7	34.3	16.4	46.6	33.7	19.9	41.1	32.1	10.3	36.2	25.2
Any illicit drug, but no alcohol	4.3	2.6	3.3	4.3	3.7	4.0	3.8	2.2	2.9	2.6	5.1	4.0	5.0	5.3	5.1	2.8	6.8	5.1

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 6. Percentages of Collier County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2014

	Collier County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	20.8	18.4	22.3	--	19.2	20.8	--	21.8	20.5	23.2	--	21.7	21.8
Drinking at least once a month	--	3.9	3.8	3.3	--	3.3	3.9	--	3.9	3.9	3.9	--	3.9	3.9
Smoke cigarettes	--	11.3	11.2	11.6	--	10.9	11.3	--	11.9	10.7	13.1	--	11.9	11.9
Smoke marijuana	--	11.8	11.7	12.1	--	11.0	11.8	--	11.4	9.1	13.6	--	11.4	11.4
Great risk of harm														
1 or 2 drinks nearly every day	48.9	36.2	44.6	38.6	47.4	35.6	41.6	45.7	40.0	45.4	39.7	45.4	39.9	42.5
5+ drinks once or twice a week	58.9	51.3	56.8	52.2	59.7	49.5	54.5	58.8	51.4	57.7	51.7	58.8	51.5	54.6
1+ packs of cigarettes per day	70.6	68.5	69.7	68.8	71.9	66.4	69.4	68.0	70.0	69.5	68.9	68.9	69.8	69.1
Marijuana once or twice a week	54.2	25.6	39.2	35.9	51.8	25.9	37.8	53.8	25.4	39.2	36.3	51.8	25.1	37.7
Try marijuana once or twice	39.1	16.3	26.6	25.0	36.6	16.7	26.0	37.1	16.3	25.5	25.3	35.4	16.0	25.3
Use prescription drugs	70.8	71.5	70.7	71.3	71.9	70.0	71.2	71.7	70.8	72.3	70.3	72.0	70.7	71.2
Think it would be wrong to...														
Smoke cigarettes	96.7	82.9	87.6	89.6	96.2	83.5	88.8	94.7	83.9	88.7	88.5	94.6	85.0	88.6
Drink alcohol regularly	91.0	59.8	73.1	73.4	90.5	59.5	73.2	88.2	61.7	72.7	73.8	87.0	62.1	73.2
Smoke marijuana	92.0	61.4	75.7	72.7	90.5	60.1	74.6	89.4	62.2	75.2	72.8	88.1	62.0	74.0
Use other illicit drugs	97.7	93.2	94.0	96.1	98.2	92.2	95.1	97.4	92.9	95.2	94.5	97.2	92.9	94.8
Parents think it would be wrong to...														
1 or 2 drinks nearly every day	97.6	93.7	94.1	96.5	97.1	93.9	95.2	97.1	92.7	94.7	94.5	96.9	93.1	94.6
Smoke cigarettes	99.2	93.8	95.6	96.2	98.8	94.3	96.0	98.5	95.6	97.1	96.6	98.5	96.4	96.9
Smoke marijuana	97.2	89.9	92.5	92.9	97.2	88.7	92.8	96.9	88.9	92.9	91.8	96.7	89.1	92.3
Use prescription drugs	98.4	97.4	97.0	98.8	98.5	97.2	97.8	98.3	97.2	97.3	98.1	98.2	97.2	97.7
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	91.8	77.5	84.2	83.5	90.8	78.4	83.6	90.3	76.5	84.0	81.0	89.6	76.5	82.5
Smoke tobacco	96.6	83.7	90.2	88.2	96.3	84.4	89.2	94.2	83.3	89.4	86.7	93.8	84.1	88.0
Smoke marijuana	91.2	61.7	76.8	71.5	89.5	61.4	74.3	87.9	59.0	72.8	70.2	86.0	58.9	71.5
Use prescription drugs	97.7	93.2	94.7	95.6	97.6	92.1	95.1	96.1	90.9	93.8	92.6	95.8	91.0	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Collier County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	36.6	36.6	--	35.2	35.2	--	29.4	29.4	--	23.9	23.9	--	25.8	25.8	--	20.8	20.8
Drink monthly	--	6.8	6.8	--	6.5	6.5	--	4.8	4.8	--	5.6	5.6	--	5.5	5.5	--	3.9	3.9
Smoke cigarettes	--	31.2	31.2	--	24.1	24.1	--	18.8	18.8	--	16.8	16.8	--	15.0	15.0	--	11.3	11.3
Smoke marijuana	--	15.8	15.8	--	13.2	13.2	--	9.8	9.8	--	8.9	8.9	--	10.5	10.5	--	11.8	11.8
Great risk of harm																		
Daily alcohol use	32.9	39.4	36.4	38.8	40.4	39.5	45.5	38.7	41.6	42.0	40.6	41.2	43.6	36.4	39.4	48.9	36.2	41.6
5+ drinks weekly	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	58.9	51.3	54.5
Daily cigarette use	65.4	72.8	69.4	66.0	65.1	65.0	74.5	65.5	69.3	66.5	66.8	66.6	66.8	64.6	65.6	70.6	68.5	69.4
Marijuana weekly*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	54.2	25.6	37.8
Try marijuana	44.6	24.0	33.0	43.2	27.3	33.7	43.5	23.4	32.0	42.6	19.7	29.3	40.1	15.8	26.2	39.1	16.3	26.0
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	63.8	63.8	70.8	71.5	71.2
Think it wrong																		
Smoke cigarettes	87.9	67.8	77.0	91.9	72.4	80.6	94.8	75.0	83.4	91.9	73.2	81.1	92.4	79.3	84.8	96.7	82.9	88.8
Drink regularly	74.3	53.1	63.0	83.0	53.7	65.9	87.1	54.2	68.1	84.6	53.6	66.8	85.0	52.9	66.4	91.0	59.8	73.2
Smoke marijuana	91.3	73.4	81.6	93.4	76.6	83.5	96.4	73.8	83.4	91.3	70.4	79.3	89.0	64.6	74.9	92.0	61.4	74.6
Use other illicit drugs	98.1	92.4	95.0	97.5	92.3	94.3	99.8	91.9	95.2	96.1	92.6	94.1	96.5	93.4	94.7	97.7	93.2	95.1
Parents think it wrong																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	97.6	93.7	95.2
Smoke cigarettes	95.1	93.4	94.2	97.1	93.9	95.1	99.6	89.7	93.9	98.6	93.5	95.6	98.0	92.7	94.9	99.2	93.8	96.0
Smoke marijuana	96.9	95.2	96.0	97.6	94.4	95.6	99.8	91.3	94.9	98.9	94.8	96.5	97.8	90.0	93.2	97.2	89.9	92.8
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	98.4	97.4	97.8
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.8	77.5	83.6
Smoke tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	96.6	83.7	89.2
Smoke marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.2	61.7	74.3
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	97.7	93.2	95.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Collier County and Florida Statewide youth, 2014

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	11.5	6.2	19.2	--	14.0	11.5	--	8.1	4.9	11.7	--	8.1	8.1
Bought in a restaurant, bar, or club	--	1.2	0.0	2.7	--	1.5	1.2	--	1.7	2.2	1.2	--	1.7	1.7
Bought at a public event	--	1.5	1.5	1.6	--	1.9	1.5	--	0.8	0.7	1.0	--	0.8	0.8
Someone bought it for me	--	22.2	22.3	20.9	--	17.6	22.2	--	17.5	16.3	19.1	--	17.6	17.5
Someone gave it to me	--	41.0	47.7	31.3	--	42.5	41.0	--	43.0	48.6	36.3	--	43.0	43.0
Took it from a store	--	1.3	0.0	3.0	--	1.6	1.3	--	0.3	0.2	0.5	--	0.3	0.3
Took it from a family member	--	5.4	6.7	4.1	--	4.2	5.4	--	11.0	11.5	10.5	--	11.0	11.0
Some other way	--	16.0	15.7	17.3	--	16.7	16.0	--	17.5	15.6	19.7	--	17.5	17.5

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Collier County and Florida Statewide youth, 2014

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	25.8	29.2	19.0	--	23.3	25.8	--	32.5	33.4	31.5	--	32.5	32.5
Another person's home	--	51.7	47.9	57.6	--	51.9	51.7	--	46.3	46.4	46.2	--	46.3	46.3
Car or other vehicle	--	2.5	2.4	2.9	--	2.4	2.5	--	1.6	1.6	1.6	--	1.6	1.6
Restaurant, bar, or club	--	0.7	0.0	1.6	--	0.9	0.7	--	2.7	3.4	1.9	--	2.7	2.7
Public place	--	6.3	5.1	8.3	--	7.2	6.3	--	3.9	4.1	3.6	--	3.9	3.9
Public event	--	3.7	6.8	0.0	--	4.5	3.7	--	1.6	1.7	1.3	--	1.6	1.6
School property	--	0.0	0.0	0.0	--	0.0	0.0	--	1.2	0.9	1.6	--	1.2	1.2
Some other place	--	9.2	8.6	10.6	--	9.9	9.2	--	10.3	8.6	12.3	--	10.3	10.3

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Collier County and Florida Statewide youth, 2014

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	22.5	27.8	17.3	--	22.4	22.5	--	26.1	29.4	22.0	--	26.0	26.1
2	--	24.4	26.4	21.6	--	24.2	24.4	--	22.5	23.9	20.7	--	22.4	22.5
3	--	14.5	17.7	11.4	--	13.9	14.5	--	16.6	17.1	16.3	--	16.7	16.6
4	--	10.5	9.3	12.6	--	9.7	10.5	--	10.6	11.4	9.9	--	10.7	10.6
5 or more	--	28.1	18.8	37.0	--	29.9	28.1	--	24.2	18.2	31.1	--	24.2	24.2

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Collier County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2014

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.6	4.6	5.0	3.4	4.1	4.6	4.2	3.6	7.3	6.0	5.4	3.7	7.7	5.7
Smoking marijuana	1.9	9.6	6.9	6.0	2.2	9.7	6.4	4.1	13.7	8.7	10.5	4.3	14.2	9.6
Used another drug to get high	1.4	3.3	3.1	2.0	1.7	3.4	2.5	1.8	4.1	3.1	3.1	1.9	4.3	3.1

Table 12. Percentages of Collier County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2014

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	4.1	4.3	2.0	6.2	4.0	4.0	4.2	5.1	5.4	2.7	7.8	4.9	5.6	5.3
Selling drugs	1.5	6.8	3.8	5.6	1.7	7.5	4.6	2.1	6.9	3.1	6.6	2.1	7.3	4.9
Attempting to steal a vehicle	0.6	2.2	1.1	2.1	0.5	2.3	1.6	1.1	1.5	0.9	1.8	1.0	1.7	1.4
Being arrested	0.8	2.9	1.3	3.0	1.2	2.4	2.1	2.2	3.3	2.1	3.5	1.8	3.7	2.8
Taking a handgun to school	0.1	0.8	0.2	0.9	0.1	0.8	0.5	0.6	0.8	0.4	1.0	0.5	0.9	0.7
Getting suspended	5.1	7.5	4.9	7.8	5.7	7.6	6.5	11.0	9.7	7.4	12.9	10.1	10.7	10.3
Attacking someone with intent to harm	3.5	5.5	3.7	5.8	4.3	5.5	4.7	6.7	7.0	6.1	7.7	6.5	7.6	6.9

Table 13. Trends in delinquent behaviors for Collier County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.6	3.3	4.0	2.8	3.6	3.4	2.8	3.6	3.3	2.1	5.6	4.1	4.0	3.3	3.6	4.1	4.3	4.2
Selling drugs	2.3	9.1	6.1	3.1	7.7	6.3	0.8	9.1	5.5	2.7	7.4	5.4	3.2	7.6	5.8	1.5	6.8	4.6
Attempting to steal a vehicle	2.6	4.2	3.5	2.5	3.3	3.1	2.0	4.2	3.3	0.7	2.3	1.6	2.0	1.7	1.9	0.6	2.2	1.6
Being arrested	2.2	6.2	4.4	3.6	5.5	4.8	3.0	6.0	4.7	2.3	5.4	4.1	2.9	4.0	3.5	0.8	2.9	2.1
Taking a handgun to school	0.5	0.0	0.2	0.6	1.2	1.0	0.2	0.5	0.4	0.0	1.3	0.8	0.5	0.3	0.4	0.1	0.8	0.5
Getting suspended	8.8	13.7	11.7	10.4	9.0	9.5	7.8	11.5	9.9	10.6	10.2	10.4	9.6	8.1	8.7	5.1	7.5	6.5
Attacking someone with intent to harm	9.0	9.9	9.8	12.4	7.7	9.6	9.8	10.6	10.2	7.3	9.7	8.7	7.4	6.3	6.7	3.5	5.5	4.7

Table 14. Percentages of Collier County and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months, 2014

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	50.1	52.5	38.2	64.9	52.2	50.7	51.4	48.5	45.9	36.4	57.4	48.5	46.3	47.0
Arguing about gambling	12.2	10.2	9.2	13.1	12.1	10.5	11.1	13.1	11.1	9.3	14.4	13.0	11.4	12.0

Table 15. Percentages of Collier County and Florida Statewide youth who reported involvement in bullying behavior, 2014

	Collier County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Bullying caused worry	45.1	28.6	47.7	24.0	45.3	26.6	35.6	42.3	27.5	44.1	24.2	41.6	27.6	33.9
Skipped school because of bullying	8.1	6.6	11.1	3.8	7.8	7.0	7.3	5.6	6.2	8.7	3.3	5.7	6.4	5.9
Was kicked or shoved in past 30 days	16.6	7.3	10.8	11.8	16.2	7.3	11.3	18.1	7.5	10.7	13.3	17.2	7.8	12.1
Was taunted or teased in past 30 days	37.0	25.8	35.3	25.7	37.5	25.6	30.6	36.1	22.1	30.8	25.4	35.1	23.0	28.1
Was victim of cyber bullying in past 30 days	7.6	9.5	12.8	4.6	7.9	9.3	8.7	7.3	7.5	10.6	4.3	7.3	7.7	7.4
Physically bullied others in past 30 days	6.8	4.4	4.5	6.4	6.1	5.3	5.4	7.5	4.8	4.6	7.2	7.1	5.1	6.0
Verbally bullied others in past 30 days	15.1	11.2	12.4	13.8	14.9	11.0	12.9	14.2	10.2	11.2	12.7	13.8	10.6	12.0
Cyber bullied others in past 30 days	2.8	3.5	2.7	3.7	2.7	3.7	3.2	3.1	3.9	4.0	3.2	3.1	4.1	3.6

Table 16. Percentages of Collier County and Florida Statewide youth who reported gang membership, 2014

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	2.7	4.4	2.5	5.1	2.4	4.8	3.7	3.6	3.7	2.5	4.8	3.3	4.0	3.7
Did that gang have a name?	21.0	14.1	13.9	17.3	19.5	15.6	15.9	26.6	16.8	16.2	23.3	24.2	18.8	20.0
Are you a gang member now?	--	2.3	0.8	4.0	--	2.3	2.3	--	2.1	1.5	2.6	--	2.2	2.1

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

Table 17. Reasons for joining a gang, reported by high school students who have belonged to a gang, among Collier County and Florida Statewide youth, 2014

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fun and excitement	--	6.5	5.5	7.4	--	8.8	6.5	--	6.2	5.3	6.9	--	6.2	6.2
Protection	--	6.4	5.3	7.3	--	6.2	6.4	--	4.5	3.7	5.2	--	4.5	4.5
Friend or relative in a gang	--	3.9	4.9	3.5	--	4.5	3.9	--	4.5	3.8	5.1	--	4.5	4.5
Forced to join	--	1.9	3.6	1.0	--	1.7	1.9	--	1.6	1.9	1.4	--	1.6	1.6
To get respect	--	6.0	4.9	7.0	--	4.5	6.0	--	4.3	2.6	5.6	--	4.4	4.3
Money	--	9.4	5.0	12.3	--	7.2	9.4	--	4.6	2.4	6.2	--	4.6	4.6
To fit in better	--	3.5	3.2	3.9	--	3.2	3.5	--	1.4	1.0	1.7	--	1.4	1.4
Other reasons	--	6.3	4.9	7.4	--	7.1	6.3	--	6.6	4.9	7.9	--	6.6	6.6

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Collier County and Florida Statewide youth who reported participation in extracurricular activities, 2014

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	37.0	50.3	42.5	46.0	39.0	52.3	44.6	35.1	40.3	34.3	41.7	35.7	40.7	38.1
Organized Sports Outside of School	40.9	26.6	28.8	37.4	40.1	26.5	32.7	44.8	26.3	31.0	37.6	43.8	26.7	34.4
School Band	28.7	15.6	24.2	19.0	27.7	15.2	21.2	14.9	7.3	11.0	10.3	14.4	7.1	10.6
School Club(s)	18.4	34.3	33.2	22.1	19.6	34.1	27.4	21.2	31.4	35.1	19.4	22.2	31.1	27.0
Community Club(s)	6.4	17.5	16.6	8.8	6.3	17.2	12.8	9.5	13.8	15.1	9.0	9.8	13.6	11.9

Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Collier County and Florida Statewide youth, 2014

	Collier County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<i>Riding in a vehicle</i>														
Alcohol	--	17.7	18.4	17.7	--	16.1	17.7	--	18.1	20.1	16.2	--	18.1	18.1
Marijuana	--	20.8	21.4	20.7	--	20.8	20.8	--	23.5	24.4	22.7	--	23.8	23.5
<i>Driving a vehicle</i>														
Alcohol	--	6.0	6.7	5.4	--	6.1	6.0	--	6.6	6.2	6.8	--	6.3	6.6
Marijuana	--	9.2	9.7	9.2	--	9.2	9.2	--	10.9	9.6	12.2	--	10.7	10.9

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Collier County, 2012 and 2014

	2004			2006			2008			2010			2012			2014		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	--	--	--	25.4	25.4	--	17.7	17.7
Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	26.8	26.8	--	20.8	20.8
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	--	--	--	9.7	9.7	--	6.0	6.0
Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	10.3	10.3	--	9.2	9.2

Note: The symbol "--" indicates that data are not available.

Table 21. Protective factor prevalence rates for Collier County, Florida Statewide youth and the national normative database, 2014

Domain	Scale	Collier County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	49	55	48	61	56	63
Family	Family Opportunities for Prosocial Involvement	60	60	60	58	59	54
	Family Rewards for Prosocial Involvement	57	55	55	56	54	55
School	School Opportunities for Prosocial Involvement	53	62	51	62	57	60
	School Rewards for Prosocial Involvement	56	60	50	60	53	58
Peer and Individual	Religiosity	47	59	47	57	56	62
Average Prevalence Rate		54	58	52	59	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rates for Collier County, Florida Statewide youth and the national normative database, 2014

Domain	Scale	Collier County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	45	49	44	46	47	47
	Transitions and Mobility	59	58	58	62	47	46
	Laws and Norms Favorable to Drug Use	31	30	36	33	42	42
	Perceived Availability of Drugs	41	31	40	31	45	45
	Perceived Availability of Handguns	23	34	24	37	25	42
Family	Poor Family Management	41	36	40	38	44	45
	Family Conflict	37	38	38	33	42	37
School	Poor Academic Performance	42	42	42	43	45	48
	Lack of Commitment to School	52	54	52	52	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	37	38	38	36	40	46
	Favorable Attitudes toward ATOD Use	31	39	32	38	39	45
	Early Initiation of Drug Use	20	24	25	26	41	46
Average Prevalence Rate		38	39	39	40	42	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 23. Protective factor prevalence rate trends among middle school students for Collier County, 2004 to 2014

Domain	Scale	Collier County					
		2004	2006	2008	2010	2012	2014
Community	Community Rewards for Prosocial Involvement	51	48	53	49	50	49
Family	Family Opportunities for Prosocial Involvement	56	51	54	54	53	60
	Family Rewards for Prosocial Involvement	53	49	49	45	50	57
School	School Opportunities for Prosocial Involvement	50	52	55	49	52	53
	School Rewards for Prosocial Involvement	54	45	52	50	54	56
Peer and Individual	Religiosity	52	52	49	47	50	47
Average Prevalence Rate		53	50	52	49	52	54

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 24. Risk factor prevalence rate trends among middle school students for Collier County, 2004 to 2014

Domain	Scale	Collier County					
		2004	2006	2008	2010	2012	2014
Community	Community Disorganization	42	49	42	52	53	45
	Transitions and Mobility	62	60	62	64	63	59
	Laws and Norms Favorable to Drug Use	46	39	34	39	42	31
	Perceived Availability of Drugs	55	42	46	46	41	41
	Perceived Availability of Handguns	28	26	22	22	21	23
Family	Poor Family Management	51	52	43	48	47	41
	Family Conflict	44	39	48	42	38	37
School	Poor Academic Performance	39	42	32	37	36	42
	Lack of Commitment to School	50	51	41	54	47	52
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	53	52	40	45	43	37
	Favorable Attitudes toward ATOD Use	45	39	34	37	33	31
	Early Initiation of Drug Use	47	44	37	34	29	20
Average Prevalence Rate		47	44	37	43	39	38

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among high school students for Collier County, 2004 to 2014

Domain	Scale	Collier County					
		2004	2006	2008	2010	2012	2014
Community	Community Rewards for Prosocial Involvement	56	62	64	58	58	55
Family	Family Opportunities for Prosocial Involvement	61	50	54	54	55	60
	Family Rewards for Prosocial Involvement	56	50	51	51	55	55
School	School Opportunities for Prosocial Involvement	64	66	60	60	60	62
	School Rewards for Prosocial Involvement	62	64	60	58	58	60
Peer and Individual	Religiosity	63	57	59	59	59	59
Average Prevalence Rate		60	58	58	57	58	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 26. Risk factor prevalence rate trends among high school students for Collier County, 2004 to 2014

Domain	Scale	Collier County					
		2004	2006	2008	2010	2012	2014
Community	Community Disorganization	38	46	47	52	47	49
	Transitions and Mobility	73	66	61	59	63	58
	Laws and Norms Favorable to Drug Use	36	33	40	35	37	30
	Perceived Availability of Drugs	50	44	43	37	35	31
	Perceived Availability of Handguns	31	36	33	33	32	34
Family	Poor Family Management	49	48	50	45	43	36
	Family Conflict	36	32	36	35	32	38
School	Poor Academic Performance	41	41	40	40	48	42
	Lack of Commitment to School	46	43	43	51	49	54
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	48	47	43	43	45	38
	Favorable Attitudes toward ATOD Use	43	39	41	39	42	39
	Early Initiation of Drug Use	46	36	34	32	33	24
Average Prevalence Rate		45	42	42	44	46	39

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.